

Tasmanian Threatened Native Vegetation Communities

ATHROTAXIS SELAGINOIDES / NOTHOFAGUS GUNNII SHORT RAINFOREST


Conservation status

Threatened: Community 6 - Schedule 3A *Nature Conservation Act 2002*

What is *Athrotaxis selaginoides* / *Nothofagus gunnii* short rainforest?

This is short forest in which *Athrotaxis selaginoides* (king billy pine) is dominant over *Nothofagus gunnii* (deciduous beech). The composition of the understorey varies according to the site. In the eastern part of its range (e.g. Cradle Mountain-Lake Saint Clair National Park) there may be few other species, while in the west diversity is typically high, with *Nothofagus cunninghamii* (myrtle beech), *Diselma archeri* (dwarf pine) and *Richea pandanifolia* (pandani) usually present. The community can occur as dense and continuous forest, or as smaller patches within alpine heathlands and sedgeland.


The community is generally found in unburned alpine areas between 400 m and 1300 m, and commonly above 900 m. It generally grows on well-drained organic soils with a siliceous substrate on gentle slopes below alpine plateaus, such as above Lake Wilkes and east of Mount Read.



An example of the *Athrotaxis selaginoides* / *Nothofagus gunnii* short rainforest community on the slopes of Mount Wilkes, Cradle Mountain area. Sib Corbett.

To help you decide if this Threatened Native Vegetation Community is on your site, a decision tree is provided further below. This is a guide only. Assessment by a qualified ecologist is needed to confirm the presence (or absence) of a listed threatened community

Distribution, extent and reservation status



Indicative *Athrotaxis selaginoides* / *Nothofagus gunnii* short rainforest distribution from TNVC 2014

The Threatened Native Vegetation Communities 2014 (TNVC 2014) distribution of *Athrotaxis selaginoides* / *Nothofagus gunnii* short rainforest is derived from the TASVEG 3.0 mapping of RKF (*Athrotaxis selaginoides* *Nothofagus gunnii* short rainforest). TASVEG mapping units provide only an indicative distribution of listed communities.

Athrotaxis selaginoides / *Nothofagus gunnii* short rainforest has an approximate Tasmania-wide extent of 3200 hectares. Of this, 92% of the community is mapped within the secure National Reserve System increasing to 95% in the wider Tasmanian Reserve Estate, which also includes informal and fixed-term reserves.

Athrotaxis selaginoides / *Nothofagus gunnii* short rainforest

A snapshot of the reservation status of *Athrotaxis selaginoides* / *Nothofagus gunnii* short rainforest for Local Government Regions is available on the Department of Primary Industry, Parks Water and Environment [website](#) and via the 'By Council Area' tab at this [link](#).

Why is *Athrotaxis selaginoides* / *Nothofagus gunnii* short rainforest important and what are its management issues?

The community has a restricted distribution with its stronghold in the Central Highlands bioregion where, despite 95% of its extant area being in reserves, it is under-reserved in terms of its pre-European extent.

Only 218 patches of this community have been mapped in TNVC 2014, with 82% of these smaller than 10 ha and more than half of these less than 1 ha in area.

Athrotaxis selaginoides / *Nothofagus gunnii* short rainforest is adapted to a low level of disturbance. Any increase in disturbances such as fire poses a risk to this community through changes in floristic composition and forest structure. Increase in disturbances such as roading, logging and fire have the capacity to damage rainforest and increase the risk of weeds and disease. The alpine climatic zone is potentially at risk of reduction through the impacts of climate change.

How can the condition of the vegetation be assessed?

To help you to assess the condition of *Athrotaxis selaginoides* / *Nothofagus gunnii* short rainforest, the following [TASVEG VCA benchmark](#) is recommended:

- ❖ RKF *Athrotaxis selaginoides* - *Nothofagus gunnii* short rainforest

What does it mean if you have a Threatened Native Vegetation Community?

If you are planning an activity that will potentially impact a Threatened Native Vegetation Community you should seek advice from the authority responsible for regulating this activity. The authority responsible will depend upon the nature of the planned activity (see [Further information](#)).

In the first instance you can check the [Information for landowners on the Forest Practices Authority \(FPA\) website](#) for comprehensive advice on when a Forest Practices Plan may be required.

Some vegetation communities can represent important habitat for threatened species.

This may have implications when development applications are assessed or for land use.

Matters of National Environmental Significance as listed under the Commonwealth *Environment Protection and Biodiversity Conservation Act 1999* (EPBCA) should also be considered to determine if the proposal will need to be assessed under that Act.

Further information

For further detail about the possible variation within *Athrotaxis selaginoides* / *Nothofagus gunnii* short rainforest refer to the description of the TASVEG mapping unit RKF within the 'Rainforest and related scrub' section of the online publication [From Forest to Fjaeldmark \(Edition 2\)](#) and to the Forest Practices Authority's [Forest Botany Manual](#) keys to the floristic communities equivalent to RFA F.

Further information to assist developers and their representatives in assessing the impacts of proposed developments on natural values is provided in DPIPWE's [Guidelines for Natural Values Surveys – Terrestrial Development Proposals](#) and the [Threatened Species Link - Activity Advice](#).

Contact details

TVMMP Coordinator
GPO Box 44
Hobart TAS 7001
Phone: (03) 6165 4320
Fax: (03) 6233 3477
Email: TVMMPsupport@dpipwe.tas.gov.au


Acknowledgement

DPIPWE gratefully acknowledges the contribution of the Forest Practices Authority to the development of the information in this document.



Athrotaxis selaginoides / *Nothofagus gunnii* short rainforest

Is *Athrotaxis selaginoides* / *Nothofagus gunnii* short rainforest present at your site?



Note

- ❖ Where *Athrotaxis selaginoides* is dominant but the vegetation does not meet the criteria for forest or woodland, it may be advisable to refer to the information provided for **8** *Athrotaxis selaginoides* subalpine scrub.