

Edition 2 *From Forest to Fjældmark*

# Table of floristic equivalents

**Scrub, heathland and coastal complexes**



*Correa alba*

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:		
Dry coastal (13)	6 - <i>Atriplex cinerea</i> shrubland						✓														✓						GCH ASS		
	10 - <i>Acacia sophorae</i> – <i>Helichrysum paralias</i> shrubland	✓																											
	11 - <i>Spinifex sericeus</i> – <i>Leucopogon parviflorus</i> grassland/shrubland					✓																						GHC	
	12 - <i>Leucopogon parviflorus</i> – <i>Rhagodia candolleana</i> shrubland					✓																							
	13 - <i>Rhagodia candolleana</i> – <i>Tetragonia implexicoma</i> succulent herbland																			✓		✓							
	14 - <i>Myoporum insulare</i> – <i>Alyxia buxifolia</i> – <i>Correa alba</i> heath						✓															✓							
	15 - <i>Austrostipa stipoides</i> – <i>Disphyma crassifolium</i> tussock grassland																					✓							GHC
	19 - <i>Banksia marginata</i> – <i>Leucopogon parviflorus</i> – <i>Pteridium esculentum</i> heath/scrub						✓																						
	20 - <i>Leucopogon parviflorus</i> – <i>Lepidosperma concavum</i> – <i>Oxalis perennans</i> heath				✓																								

Structural group (Reference)	Floristic Equivalent	Ecological and floristic categories																											Also occurs in:	
		SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW				
Dry coastal (13)...cont.	21 - <i>Leucopogon parviflorus</i> – <i>Lomandra longifolia</i> – <i>Pteridium esculentum</i> shrubland					✓																								
	22 - <i>Leucopogon parviflorus</i> – <i>Viola hederacea</i> – <i>Austrostipa flavescens</i> shrubland					✓																								
	24 - <i>Leptospermum scoparium</i> – <i>Acacia verticillata</i> – <i>Dichelachne crinita</i> scrub													✓																
	25 - <i>Correa backhouseana</i> – <i>Leucopogon parviflorus</i> – <i>Pteridium esculentum</i> heath				✓	✓																								
	26 - <i>Cyathodes abietina</i> – <i>Lobelia alata</i> – <i>Sarcocornia quinqueflora</i> shrubland																						✓							
	27 - <i>Westringia brevifolia</i> – <i>Plantago triantha</i> – <i>Samolus repens</i> shrubland																						✓							
	30 - <i>Cyathodes abietina</i> – <i>Dianella tasmanica</i> – <i>Nablonium calyceroides</i> shrubland																						✓							
	31 - <i>Westringia brevifolia</i> – <i>Correa backhouseana</i> – <i>Poa poliformis</i> shrubland					✓																								
	32 - <i>Leptospermum glaucescens</i> – <i>Banksia marginata</i> – <i>Westringia brevifolia</i> heath/scrub												✓																	

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:		
Dry coastal (13)...cont.	33 - <i>Leptospermum scoparium</i> – <i>Leptecophylla juniperina</i> scrub					✓																							
	34 - <i>Spyridium vexilliferum</i> – <i>Acrotriche cordata</i> heath									✓																			
	35 - <i>Correa backhouseana</i> – <i>Acacia sophorae</i> – <i>Lepidosperma gladiatum</i> heath				✓	✓																							
	36 - <i>Leucopogon parviflorus</i> – <i>Acaena novae-zelandiae</i> – <i>Carpobrotus rossii</i> shrubland						✓																						
	37 - <i>Acacia sophorae</i> – <i>Leucopogon parviflorus</i> – <i>Poa poiformis</i> heath/scrub	✓					✓																						
	38 - <i>Leucopogon parviflorus</i> – <i>Lobelia alata</i> – <i>Isolepis nodosa</i> shrubland						✓																✓						
Heath (13)	1 - <i>Leucopogon australis</i> – <i>Melaleuca squamea</i> heath																										✓		
	2 - <i>Schoenus tenuissimus</i> – <i>Epacris lanuginosa</i> – <i>Empodisma minus</i> heath																										✓		
	3 - <i>Melaleuca gibbosa</i> – <i>Bauera rubioides</i> heath																										✓		

*Acacia longifolia* coastal scrub  
*Banksia marginata* wet scrub  
Broad-leaf scrub  
Coastal heathland  
Coastal scrub  
Coastal scrub on alkaline sands  
Eastern riparian scrub  
Eastern scrub on dolerite  
Heathland on calcareous substrates  
*Kunzea ambigua* regrowth scrub  
*Leptospermum glaucescens* dry heath and scrub  
*Leptospermum lanigerum* scrub  
*Leptospermum scoparium* heathland and scrub  
*Leptospermum* with rainforest scrub  
*Melaleuca pustulata* scrub  
*Melaleuca squamea* heathland  
*Melaleuca squarrosa* scrub  
Rookery halophytic herbland  
Scrub complex on King Island  
Spayzone coastal shrubland  
Subalpine heathland  
Western regrowth complex  
Western subalpine scrub  
Western wet scrub  
Wet heathland

Structural group (Reference)	Floristic Equivalent	Vegetation Types																											Also occurs in:	
		SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW				
Heath (13)...cont.	4 - <i>Sprengelia incarnata</i> – <i>Bauera rubioides</i> – <i>Lepidosperma filiforme</i> heath																											✓		
	5 - <i>Sprengelia incarnata</i> – <i>Gymnoschoenus sphaerocephalus</i> – <i>Xyris</i> spp. heath																											✓	MBS MSW	
	6 - <i>Boronia parviflora</i> – <i>Banksia marginata</i> – <i>Leptocarpus tenax</i> heath																											✓		
	7 - <i>Leptospermum scoparium</i> – <i>Selaginella uliginosa</i> – <i>Baumea acuta</i> heath																											✓		
	9 - <i>Xanthorrhoea</i> spp.– <i>Dillwynia glaberrima</i> – <i>Isopogon ceratophyllus</i> heath				✓																									
	10 - <i>Xanthorrhoea</i> spp.– <i>Eucalyptus nitida</i> – <i>Isopogon ceratophyllus</i> heath				✓																									
	11 - <i>Leptospermum glaucescens</i> – <i>Hibbertia acicularis</i> heath													✓																
	12 - <i>Leptospermum glaucescens</i> – <i>Hibbertia procumbens</i> heath													✓																
	13 - <i>Leptospermum glaucescens</i> – <i>Lepidosperma concavum</i> heath													✓																

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:		
Heath (13)...cont.	14 - <i>Hibbertia sericea</i> – <i>Leucopogon virgatus</i> heath				✓																								
	15 - <i>Gompholobium huegeli</i> – <i>Epacris lanuginosa</i> heath																										✓		
	16 - <i>Austrodanthonia</i> spp.– <i>Bossiaea cinerea</i> – <i>Calytrix tetragona</i> heath				✓							✓																	
	17 - <i>Lepidosperma concavum</i> – <i>Cassylia glabella</i> – <i>Gonocarpus tetragynus</i> heath				✓																								
	18 - <i>Austrodanthonia</i> – <i>Xanthosia pusilla</i> – <i>Helichrysum scorpioides</i> heath				✓																								
	19 - <i>Selaginella uliginosa</i> – <i>Hypolaena fastigiata</i> – <i>Aotus ericoides</i> heath				✓																								
	20 - <i>Hibbertia procumbens</i> – <i>Xanthorrhoea</i> spp. heath				✓																								
	21 - <i>Allocasuarina monilifera</i> – <i>Hibbertia acicularis</i> – <i>Brachyloma ciliatum</i> heath				✓																								
	22 - <i>Aotus ericoides</i> – <i>Lomandra longifolia</i> heath				✓																								
	23 - <i>Acrotriche serrulata</i> – <i>Astroloma humifusum</i> heath				✓																								

*Acacia longifolia* coastal scrub  
*Banksia marginata* wet scrub  
Broad-leaf scrub  
Coastal heathland  
Coastal scrub  
Coastal scrub on alkaline sands  
Eastern riparian scrub  
Eastern scrub on dolerite  
Heathland on calcareous substrates  
*Kunzea ambigua* regrowth scrub  
*Leptospermum glaucescens* dry heath and scrub  
*Leptospermum lanigerum* scrub  
*Leptospermum scoparium* heathland and scrub  
*Leptospermum* with rainforest scrub  
*Melaleuca pustulata* scrub  
*Melaleuca squamea* heathland  
*Melaleuca squarrosa* scrub  
Rookery halophytic herbland  
Scrub complex on King Island  
Spayzone coastal shrubland  
Subalpine heathland  
Western regrowth complex  
Western subalpine scrub  
Western wet scrub  
Wet heathland

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:		
Heath (13)...cont.	24 - <i>Austrodracopis</i> spp.– <i>Leucopogon parviflorus</i> heath				✓																								
	25 - <i>Bossiaea prostrata</i> – <i>Melaleuca gibbosa</i> heath																										✓		
	26 - <i>Poa gunnii</i> – <i>Melaleuca gibbosa</i> – <i>Centella cordifolia</i> heath																										✓		
	27 - <i>Lindsaea linearis</i> – <i>Melaleuca gibbosa</i> – <i>Xanthorrhoea</i> spp. heath																										✓		
	28 - <i>Astroloma humifusum</i> – <i>Melaleuca gibbosa</i> heath																										✓		
	29 - <i>Melaleuca gibbosa</i> – <i>Argentipallium dealbatum</i> – <i>Drosera pygmaea</i> heath																										✓		
	30 - <i>Gonocarpus tetragynus</i> – <i>Stylidium graminifolium</i> – <i>Pteridium esculentum</i> heath					✓																							
	31 - <i>Melaleuca squarrosa</i> – <i>Poa gunnii</i> – <i>Agrostis</i> spp. heath																										✓		
	33 - <i>Lepidosperma concavum</i> – <i>Gonocarpus tetragynus</i> heath					✓																							
	34 - <i>Pultenaea juniperina</i> – <i>Gonocarpus humilis</i> heath					✓									✓							✓							

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:		
Heath (13)...cont.	35 - <i>Lepidosperma filiforme</i> – <i>Hibbertia riparia</i> – <i>Pentachondra involucrata</i> heath													✓															
	36 - <i>Epacris marginata</i> – <i>Calytrix tetragona</i> heath				✓																								
	37 - <i>Banksia marginata</i> – <i>Leptospermum scoparium</i> heath				✓																								
	38 - <i>Callistemon viminalis</i> – <i>Westringia rubraefolia</i> heath														✓														
Heath (14)	Black gum wet heath																										✓	DOW	
	Bracelet honeymyrtle wet heath																										✓		
	Coastal tea-tree dry heath						✓																						
	Dwarf oak dry heath				✓																								
	Honeysuckle dry heath				✓																								
	Mallee peppermint dry heath				✓																								DNF DNI DAC
	Manuka dry heath												✓																
Manuka wet heath																										✓			



Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:	
		<i>Acacia longifolia</i> coastal scrub	<i>Banksia marginata</i> wet scrub	Broad-leaf scrub	Coastal heathland	Coastal scrub	Coastal scrub on alkaline sands	Eastern riparian scrub	Eastern scrub on dolerite	Heathland on calcareous substrates	<i>Kunzea ambigua</i> regrowth scrub	<i>Leptospermum glaucescens</i> dry heath and scrub	<i>Leptospermum lanigerum</i> scrub	<i>Leptospermum scoparium</i> heathland and scrub	<i>Leptospermum</i> with rainforest scrub	<i>Melaleuca pustulata</i> scrub	<i>Melaleuca squamea</i> heathland	<i>Melaleuca squarrosa</i> scrub	Rookery halophytic herbland	Scrub complex on King Island	Spayzone coastal shrubland	Subalpine heathland	Western regrowth complex	Western subalpine scrub	Western wet scrub	Wet heathland		
Heath (14)....cont.	Purple honeymyrtle wet heath																✓										✓	
	Rock pavement heath													✓														
	Scented paperbark wet heath																	✓		✓								
	Soft-fruited tea-tree dry heath				✓																							
	Swamp paperbark dry heath				✓																							
Heath (6)	Hr - South Coast heath				✓																							
	Hs - <i>Allocasuarina</i> heath													✓														
	Ht - <i>Aotus</i> heath													✓														
	L - Tea tree scrub													✓														
(3)	Acs - (i) Beach-Back Shrubbery	✓																										
	H - Heath													✓														
	L - <i>Leptospermum scoparium</i> scrub or tall heath (heathland facies)													✓														

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:	
		<i>Acacia longifolia</i> coastal scrub	<i>Banksia marginata</i> wet scrub	Broad-leaf scrub	Coastal heathland	Coastal scrub	Coastal scrub on alkaline sands	Eastern riparian scrub	Eastern scrub on dolerite	Heathland on calcareous substrates	<i>Kunzea ambigua</i> regrowth scrub	<i>Leptospermum glaucescens</i> dry heath and scrub	<i>Leptospermum lanigerum</i> scrub	<i>Leptospermum scoparium</i> heathland and scrub	<i>Leptospermum</i> with rainforest scrub	<i>Melaleuca pustulata</i> scrub	<i>Melaleuca squamea</i> heathland	<i>Melaleuca squarrosa</i> scrub	Rookery halophytic herbland	Scrub complex on King Island	Spayzone coastal shrubland	Subalpine heathland	Western regrowth complex	Western subalpine scrub	Western wet scrub	Wet heathland		
(3) cont.	Lt - Tall Tea Tree ( <i>Leptospermum lanigerum</i> dominated component)												✓															
(5)	Subalpine heath (treeless facies)																					✓						
	Wet scrub and Tea Tree												✓															
	H - Subalpine heath (treeless facies)																					✓						
Other forest/scrub (13)	1 - <i>Leptospermum nitidum</i> closed-forest/scrub														✓									✓	✓		NLE RML	
	2 - <i>Leptospermum glaucescens</i> - <i>L. scoparium</i> closed-forest/scrub											✓																NLE
	3 - <i>Pomaderris apetala</i> - <i>Beyeria viscosa</i> - <i>Asterotrichion discolor</i> closed forest/scrub			✓																								
	4 - <i>Callitris rhomboidea</i> - <i>Leptospermum</i> spp. closed-forest/scrub								✓																			NCR
	6 - <i>Bedfordia salicina</i> - <i>Olearia argophylla</i> closed scrub			✓																								
	7 - <i>Notelaea ligustrina</i> closed-forest			✓																								
	C2 - Depauperate coastal paperbark swamp forest																				✓							NME

Structural group (Reference)	Floristic Equivalent																											Also occurs in:
		SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW		
Other forest/scrub (13)....cont.	F1 - Depauperate tea-tree scrub forest																			✓			✓				NLA	
	F2 - Depauperate tea-tree/paperbark scrub forest																			✓							NME	
	F3 - Tea-tree mesophytic scrub forest																						✓				NLA	
Other (15)	<i>Leptospermum lanigerum</i> scrub											✓																
	11 - <i>Callistemon pallida</i> closed-forest								✓																			
Riparian communities (13)	2 - <i>Pomaderris apetala</i> – <i>Olearia argophylla</i> – <i>Polystichum proliferum</i> low open riparian forest			✓																								
	3 - <i>Pomaderris apetala</i> – <i>Asterotrichion discolor</i> – <i>Senecio linearifolius</i> – <i>Blechnum nudum</i> open riparian scrub							✓																				
	4 - <i>Pomaderris apetala</i> – <i>Coprosma quadrifida</i> – <i>Carex appressa</i> – <i>Blechnum nudum</i> open riparian scrub							✓																				
	5 - <i>Melaleuca squarrosa</i> – <i>Melaleuca squarrosa</i> – <i>Leptospermum lanigerum</i> heathy-fenny-sedgy closed scrub																	✓									NLM	

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:	
Riparian communities (13)....cont.	6 - <i>Pomaderris apetala</i> – <i>Micrantheum hexandrum</i> – <i>Beyeria viscosa</i> closed riparian scrub							✓																				WVI DAD
Riparian communities (13)....cont.	7 - <i>Pomaderris apetala</i> – <i>Ehrharta stipoides</i> – <i>Coprosma quadrifida</i> open riparian scrub							✓																				WVI
	8 - <i>Melaleuca ericifolia</i> – <i>Acacia axillaris</i> – <i>Lomandra longifolia</i> closed riparian scrub							✓																				NME
	9 - <i>Beyeria viscosa</i> – <i>Callistemon pallidus</i> – <i>Lomandra longifolia</i> open riparian scrub							✓																				
	10 - <i>Leptospermum lanigerum</i> – <i>Callistemon pallidus</i> – <i>Epacris acuminata</i> – <i>Lomandra longifolia</i> closed riparian scrub							✓																				
	11 - <i>Micrantheum hexandrum</i> – <i>Leptospermum lanigerum</i> – <i>Lomandra longifolia</i> tall riparian shrubland							✓																				
	12 - <i>Acacia mucronata</i> – <i>Leptospermum lanigerum</i> – <i>Micrantheum hexandrum</i> closed riparian scrub							✓																				

*Acacia longifolia* coastal scrub  
*Banksia marginata* wet scrub  
Broad-leaf scrub  
Coastal heathland  
Coastal scrub  
Coastal scrub on alkaline sands  
Eastern riparian scrub  
Eastern scrub on dolerite  
Heathland on calcareous substrates  
*Kunzea ambigua* regrowth scrub  
*Leptospermum glaucescens* dry heath and scrub  
*Leptospermum lanigerum* scrub  
*Leptospermum scoparium* heathland and scrub  
*Leptospermum* with rainforest scrub  
*Melaleuca pustulata* scrub  
*Melaleuca squamea* heathland  
*Melaleuca squarrosa* scrub  
Rookery halophytic herbland  
Scrub complex on King Island  
Spayzone coastal shrubland  
Subalpine heathland  
Western regrowth complex  
Western subalpine scrub  
Western wet scrub  
Wet heathland

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:	
Riparian communities (13)....cont.	13 - <i>Micranthem hexandrum</i> – <i>Acacia mucronata</i> – <i>Notelaea ligustrina</i> riparian scrub							✓																				
	14 - <i>Acacia mucronata</i> – <i>Pomadernis phyllicifolia</i> – <i>Leptospermum lanigerum</i> – <i>Lepidosperma laterale</i> riparian scrub							✓																				
	15 - <i>Leptospermum lanigerum</i> – <i>Acacia mucronata</i> closed riparian scrub							✓																				
	16 - <i>Pomadernis apetala</i> – <i>Ehrharta stipoides</i> – <i>Poa labillardierei</i> – <i>Lepidosperma laterale</i> closed riparian scrub								✓																			
	17 - <i>Leptospermum lanigerum</i> – <i>Poa labillardierei</i> – <i>Acaena novae-zelandiae</i> grassy riparian scrub								✓																			Forest
	18 - <i>Leptospermum lanigerum</i> – <i>Poa labillardierei</i> – <i>Carex gaudichaudiana</i> grassy riparian scrub													✓														

*Acacia longifolia* coastal scrub  
*Banksia marginata* wet scrub  
Broad-leaf scrub  
Coastal heathland  
Coastal scrub  
Coastal scrub on alkaline sands  
Eastern riparian scrub  
Eastern scrub on dolerite  
Heathland on calcareous substrates  
*Kunzea ambigua* regrowth scrub  
*Leptospermum glaucescens* dry heath and scrub  
*Leptospermum lanigerum* scrub  
*Leptospermum scoparium* heathland and scrub  
*Leptospermum* with rainforest scrub  
*Melaleuca pustulata* scrub  
*Melaleuca squamea* heathland  
*Melaleuca squarrosa* scrub  
Rookery halophytic herbland  
Scrub complex on King Island  
Spayzone coastal shrubland  
Subalpine heathland  
Western regrowth complex  
Western subalpine scrub  
Western wet scrub  
Wet heathland

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:	
		<i>Acacia longifolia</i> coastal scrub	<i>Banksia marginata</i> wet scrub	Broad-leaf scrub	Coastal heathland	Coastal scrub	Coastal scrub on alkaline sands	Eastern riparian scrub	Eastern scrub on dolerite	Heathland on calcareous substrates	<i>Kunzea ambigua</i> regrowth scrub	<i>Leptospermum glaucescens</i> dry heath and scrub	<i>Leptospermum lanigerum</i> scrub	<i>Leptospermum scoparium</i> heathland and scrub	<i>Leptospermum</i> with rainforest scrub	<i>Melaleuca pustulata</i> scrub	<i>Melaleuca squamea</i> heathland	<i>Melaleuca squarrosa</i> scrub	Rookery halophytic herbland	Scrub complex on King Island	Spayzone coastal shrubland	Subalpine heathland	Western regrowth complex	Western subalpine scrub	Western wet scrub	Wet heathland		
Riparian communities (13)....cont.	20 - <i>Leptospermum lanigerum</i> - <i>Euchiton japonicus</i> &/ or <i>Argyrotegium mackayi</i> ( <i>Gnaphalium collinus</i> ) <i>Poa labillardierei</i> riparian scrubby herbfield												✓															DRO
	21 - <i>Leptospermum lanigerum</i> - <i>Eleocharis gracilis</i> - <i>Carex gaudichaudiana</i> riparian shrubland							✓																				
Riparian communities (7)	2 - <i>Eucalyptus open forest</i> over <i>Baeckea gunniana</i> - <i>Gleichenia alpina</i> - <i>Rubus gunnianus</i> -fern closed heath (heathland variant only)																					✓						DDE DPD DCO DRO
Buttongrass moorland (13)	B4 - Layered blanket moor																✓											MBS MBW
	B12 - Dry copses																								✓	✓		MBS DNI
	B13 - Wet copses																	✓							✓			NLM WNL MBS DOV
	B14a - Common mountain moor																✓											MBS MBW
	B14b - Highland standard peat																✓											MBS MBW
	B15 - Mountain copses																								✓			MBS RML

Structural group (Reference)	Floristic Equivalent	Ecological and floristic categories																										Also occurs in:
		SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW		
		<i>Acacia longifolia</i> coastal scrub	<i>Banksia marginata</i> wet scrub	Broad-leaf scrub	Coastal heathland	Coastal scrub	Coastal scrub on alkaline sands	Eastern riparian scrub	Eastern scrub on dolerite	Heathland on calcareous substrates	<i>Kunzea ambigua</i> regrowth scrub	<i>Leptospermum glaucescens</i> dry heath and scrub	<i>Leptospermum lanigerum</i> scrub	<i>Leptospermum scoparium</i> heathland and scrub	<i>Leptospermum</i> with rainforest scrub	<i>Melaleuca pustulata</i> scrub	<i>Melaleuca squamea</i> heathland	<i>Melaleuca squarrosa</i> scrub	Rookery halophytic herbland	Scrub complex on King Island	Spayzone coastal shrubland	Subalpine heathland	Western regrowth complex	Western subalpine scrub	Western wet scrub	Wet heathland		
Buttongrass moorland (13)....cont.	E1a - Common wet eastern heathy																✓										MBE	
	E1b - Eastern woolly tea-tree																	✓									MBE	
	E3 - Sedgy <i>Melaleuca gibbosa</i>																									✓	MBE	
	E5 - Dry eastern heathy																									✓	MBS	
	E8 - Layered eastern moor																	✓									MBE MBW	
Buttongrass moorland (12)	(a) - Creek Copses		✓																									
	B13(b) - Wet Copses															✓												
(4)	Bws - <i>Banksia</i> wet scrub and copses		✓																									
(6)	Wf - Wet scrub with thamnic rainforest species														✓													
Scrub (8)	2a - <i>Eucalyptus pulchella</i> ± <i>E. ovata</i> woodland (components with thickets of <i>Melaleuca pustulata</i> in the understorey) (scrub form only)															✓												
Shrubland (8)	4 - <i>Casuarina stricta</i> - <i>Leptospermum grandiflorum</i> - <i>Eucalyptus barberi</i> open-shrubland								✓																		DBA	

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:		
Riparian Vegetation (1)	RIP 101 - <i>Pomaderris apetala</i> – <i>Micrantheum hexandrum</i> – <i>Beyeria viscosa</i> closed riparian scrub							✓																					
	RIP1100) - <i>Pomaderris apetala</i> – <i>Coprosma quadriifida</i> – <i>Carex appressa</i> – <i>Blechnum nudum</i> open riparian scrub							✓																					
	RIP0111001 - <i>Beyeria viscosa</i> – <i>Melaleuca pallida</i> – <i>Lomandra longifolia</i> open riparian scrub. Subset <i>Pomaderris apetala</i> , <i>Beyeria viscosa</i> , <i>Acacia axillaris</i> , <i>Lomandra longifolia</i> scrub								✓																				
	RIP0111000 - <i>L. lanigerum</i> , <i>Callistemon pallidus</i> ( <i>Melaleuca pallida</i> ), <i>Epacris acuminata</i> , <i>L. longifolia</i> scrub. Subset <i>Acacia melanoxylon</i> and/or <i>Acacia dealbata</i> dominate canopy over <i>L. lanigerum</i> , <i>M. pallida</i> , and <i>Micrantheum hexandrum</i>								✓																				

*Acacia longifolia* coastal scrub  
*Banksia marginata* wet scrub  
Broad-leaf scrub  
Coastal heathland  
Coastal scrub  
Coastal scrub on alkaline sands  
Eastern riparian scrub  
Eastern scrub on dolerite  
Heathland on calcareous substrates  
*Kunzea ambigua* regrowth scrub  
*Leptospermum glaucescens* dry heath and scrub  
*Leptospermum lanigerum* scrub  
*Leptospermum scoparium* heathland and scrub  
*Leptospermum* with rainforest scrub  
*Melaleuca pustulata* scrub  
*Melaleuca squamea* heathland  
*Melaleuca squarrosa* scrub  
Rookery halophytic herbland  
Scrub complex on King Island  
Spayzone coastal shrubland  
Subalpine heathland  
Western regrowth complex  
Western subalpine scrub  
Western wet scrub  
Wet heathland



Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:		
Riparian Vegetation (1)....cont.	RIP0110110 - <i>Acacia mucronata</i> , <i>L. lanigerum</i> , <i>Micranthemum hexandrum</i> closed riparian scrub							✓																					
	RIP011010 - <i>Micranthemum hexandrum</i> - <i>Acacia mucronata</i> - <i>Notelaea ligustrina</i> closed scrub St Pauls Rv.							✓																					
	RIP0110011 - <i>Acacia mucronata</i> , <i>Pomaderris phyllicifolia</i> , <i>Lomandra longifolia</i> , <i>Lepidosperma laterale</i> riparian scrub								✓																				
	RIP0110010 - <i>Leptospermum lanigerum</i> , <i>Acacia mucronata</i> closed riparian scrub								✓																				
	RIP0110001 - <i>Pomaderris apetala</i> , <i>Ehrharta stipoides</i> , <i>Poa labillardierei</i> , <i>Lepidosperma laterale</i> closed riparian scrub								✓																				
(11)	13 - <i>Kunzea ambigua</i> ( <i>Calytrix tetragona</i> , <i>Callitris rhomboidea</i> , <i>Allocasuarina monilifera</i> , <i>Leptospermum</i> spp) shrubland /heath (heathland facies)											✓																	

*Acacia longifolia* coastal scrub  
*Banksia marginata* wet scrub  
Broad-leaf scrub  
Coastal heathland  
Coastal scrub  
Coastal scrub on alkaline sands  
Eastern riparian scrub  
Eastern scrub on dolerite  
Heathland on calcareous substrates  
*Kunzea ambigua* regrowth scrub  
*Leptospermum glaucescens* dry heath and scrub  
*Leptospermum lanigerum* scrub  
*Leptospermum scoparium* heathland and scrub  
*Leptospermum* with rainforest scrub  
*Melaleuca pustulata* scrub  
*Melaleuca squamea* heathland  
*Melaleuca squarrosa* scrub  
Rookery halophytic herbland  
Scrub complex on King Island  
Spayzone coastal shrubland  
Subalpine heathland  
Western regrowth complex  
Western subalpine scrub  
Western wet scrub  
Wet heathland

Structural group (Reference)	Floristic Equivalent	SAL	SBM	SBR	SCH	SSC	SCA	SRE	SED	SCL	SKA	SLG	SLL	SLS	SRF	SMP	SMM	SMR	SRH	SSK	SSZ	SHS	SWR	SSW	SWW	SHW	Also occurs in:	
(9)	9 - Uneven-aged tea-tree over grass														✓													
(2)	1 - Mountain top scrub and heath																						✓					
	2 - Scree slope mosaic																						✓					
Riparian communities (7)	16 - <i>Acacia dealbata</i> - <i>Pomadernis apetala</i> - <i>Olearia argophylla</i> - <i>Dicksonia antarctica</i> ferny-sedgy closed-scrub							✓																				NAD
Alpine vegetation (13)	38 - <i>Nothofagus cunninghamii</i> - <i>Prionotes cinerithoides</i> heath																								✓			HHW RSH RMS
(10)	7 - <i>Hakea microcarpa</i> / <i>Epacris gunnii</i> - <i>Poa labillardierei</i> grassy shrubland (Heg)												✓															

*Acacia longifolia* coastal scrub  
*Banksia marginata* wet scrub  
Broad-leaf scrub  
Coastal heathland  
Coastal scrub  
Coastal scrub on alkaline sands  
Eastern riparian scrub  
Eastern scrub on dolerite  
Heathland on calcareous substrates  
*Kunzea ambigua* regrowth scrub  
*Leptospermum glaucescens* dry heath and scrub  
*Leptospermum lanigerum* scrub  
*Leptospermum scoparium* heathland and scrub  
*Leptospermum* with rainforest scrub  
*Melaleuca pustulata* scrub  
*Melaleuca squamea* heathland  
*Melaleuca squarrosa* scrub  
Rookery halophytic herbland  
Scrub complex on King Island  
Spayzone coastal shrubland  
Subalpine heathland  
Western regrowth complex  
Western subalpine scrub  
Western wet scrub  
Wet heathland

## References

- 1 Askey-Doran, M. (1993) *Riparian vegetation in the Midlands and eastern Tasmania*. Parks and Wildlife Service, Hobart.
- 2 Brown, M.J. Bayley-Stark, J. (1979). *Vegetation of Maria Island*. Wildlife Division Technical Report, 70/1.
- 3 Corbett, S. (1995) *Vegetation of the Central Plateau Tasmanian Wilderness World Heritage Area*, Wildlife Report 95/3. 75 pp.
- 4 Corbett, S. (1995) *Vegetation of the Mt Anne/Scotts Peak Area*, unpublished report on the synusia based mapping of the Tasmanian Wilderness World Heritage Area Vegetation mapping, DPIPWE files.
- 5 Corbett, S. (1998) Vegetation In: Driessen, M, Comfort, M., Jackson, J., Balmer, J., Richardson, A., and McQuillan, P.B. '*Pelion Plains- Mt Ossa, Wilderness Ecosystems Baseline studies 1990–1993*', Wildlife Report 98/2, Parks and Wildlife Service, Hobart, pp. 1–12.
- 6 Corbett, S. unpublished key to the 1:25,000 Tasmanian Wilderness World Heritage Area Mapping Units, DPIPWE files.
- 7 Daley, E.A. & Kirkpatrick, J.B. (2004) Native riparian vegetation. *Cunninghamia*. 8(4), 409–430.
- 8 Duncan, F. & Duncan, D. (1984) *A dry sclerophyll woodland mosaic; vegetation of Cherry Tree Hill, near Cranbrook, Tasmania*. Records of the Queen Victoria Museum, Launceston, No. 85, 15 pp.
- 9 Ellis, R.C. (1985) The relationships among eucalypt forest, grassland and rainforest in a highland area in north-eastern Tasmania. *Australian Journal of Ecology*. 10, 297–314.
- 10 Gilfedder, L. (1995) *Montane grasslands of north-western Tasmania*. A report to North Forests Burnie and Forestry Tasmania.
- 11 Harris, S. (1991) *A summary of the flora conservation values and their management in Freycinet National Park*. Unpublished report, Wildlife Division, Parks and Wildlife Service. Tasmania.
- 12 Jarman, S.J., Kantvilas, G., & Brown, M.J. (1988) *Buttongrass moorland in Tasmania*. Research Report No. 2, Tasmanian Forest Research Council, Inc., Hobart.
- 13 Kirkpatrick, J.B., Barker, P., Brown, M.J., Harris, S. & Mackie, R. (1995) *The Reservation Status of Tasmanian Vascular Plant Communities*. Wildlife Scientific Report 95/4. Parks and Wildlife Service, Tasmania.
- 14 Kirkpatrick, J.B. & Harris, S. (1999a) *The Disappearing Heath Revisited*. Tasmanian Environment Centre Inc., Hobart.
- 15 North, A., Johnson, K., Ziegler, K., Hopkins, K., Ziegeler, D., & Watts, S. (1998) *Flora of Recommended Areas For Protection and Forest Reserves in Tasmania*. Volumes 1 to 8, Forest Practices Board, Forestry Tasmania and Parks and Wildlife Service, Tasmania.